30

<u>Claims</u>

What is claimed is:

- A method of treating obesity, the method comprising the step of administering to an obese patient or a patient at risk of becoming obese a therapeutically effective amount of a compound that is a neurotensin receptor ligand.
- 2. The method of claim 1 wherein the neurotensin receptor ligand is a neurotensin-1receptor ligand.
 - 3. The method of claim 1 wherein the neurotensin receptor ligand is a neurotensin-2 receptor ligand.
- The method of claim 1 wherein the neurotensin receptor ligand is a neurotensin-3 receptor ligand.
 - 5. The method of claim 1 wherein the ligand is an agonist.
- 6. The method of claim 1 wherein the ligand is an antagonist.
 - 7. The method of claim 1 wherein the neurotensin receptor ligand is a neurotensin-1 receptor agonist.
- 8. A method of treating obesity, the method comprising the step of administering to an obese patient or a patient at risk of becoming obese a therapeutically effective amount of a compound that is a selective neurotensin-1 receptor agonist.
 - 9. A pharmaceutical composition comprising:
 - a) a compound that is a neurotensin receptor ligand; and

10

15

30

- b) a second compound useful for the treatment of obesity, diabetes, sexual dysfunction, atherosclerosis, insulin resistance, impaired glucose tolerance, hypercholesterolemia or hypertrigylceridemia.
- 5 10. The pharmaceutical composition of claim 9 wherein the neurotensin receptor ligand is a neurotensin-1 receptor agonist.

11. The method of claim 9 wherein the second compound is a β_3 -adrenergic receptor agonist, a cholecystokinin-A agonist, a monoamine reuptake inhibitor, a sympathomimetic agent, a serotoninergic agent, a dopamine agonist, a melanocyte-stimulating hormone receptor agonist or mimetic, a melanocyte-stimulating hormone receptor analog, a cannabinoid receptor antagonist, a melanin concentrating hormone antagonist, leptin, a leptin analog, a leptin receptor agonist, a galanin antagonist, a bombesin agonist, a neuropeptide-Y antagonist, a thyromimetic agent, dehydroepiandrosterone or an analog thereof, a glucocorticoid receptor agonist or antagonist, an orexin receptor antagonist, a urocortin binding protein antagonist, a glucagon-like peptide-1 receptor agonist, or a ciliary neurotrophic factor.

20 12. A kit that comprises:

- a) a first pharmaceutical composition comprising a compound that is a neurotensin receptor ligand;
- b) a second pharmaceutical composition comprising a compound that is useful for the treatment of obesity, diabetes, sexual dysfunction, atherosclerosis, insulin resistance, impaired glucose tolerance, hypercholesterolemia or hypertrigylceridemia; and
 - c) a container for the first and second compositions.
 - 13. The kit of claim 12 wherein the neurotensin receptor ligand is a neurotensin-1 receptor agonist.

5

10

15

- 14. The kit of claim 12 wherein the second pharmaceutical composition comprises a compound that is a β_3 -adrenergic receptor agonist, a cholecystokinin-A agonist, a monoamine reuptake inhibitor, a sympathomimetic agent, a serotoninergic agent, a dopamine agonist, a melanocyte-stimulating hormone receptor agonist or mimetic, a melanocyte-stimulating hormone receptor analog, a cannabinoid receptor antagonist, a melanin concentrating hormone antagonist, leptin, a leptin analog, a leptin receptor agonist, a galanin antagonist, a bombesin agonist, a neuropeptide-Y antagonist, a thyromimetic agent, dehydroepiandrosterone or an analog thereof, a glucocorticoid receptor agonist or antagonist, an orexin receptor antagonist, a urocortin binding protein antagonist, a glucagon-like peptide-1 receptor agonist, or a ciliary neurotrophic factor.
- 15. A method of treating diabetes, sexual dysfunction, atherosclerosis, insulin resistance, impaired glucose tolerance, hypercholesterolemia or hypertrigylceridemia, the method comprising the step of administering to a patient having or at risk of having, diabetes, sexual dysfunction, atherosclerosis, insulin resistance, impaired glucose tolerance, hypercholesterolemia or hypertrigylceridemia a therapeutically effective amount of a neurotensin receptor ligand.
- 20 16. The method of claim 15 wherein the neurotensin receptor ligand is a neurotension-1 receptor ligand.